

# **Geology of Orange County, California, and the Irvine Ranch National Natural Landmark**

## **CONTENTS**

<b>Evaluation of the Irvine Ranch National Natural Landmark: Continental Margin Geologic History, South Pacific Border Province .....</b>	<b>1</b>
<b>1. Introduction .....</b>	<b>1</b>
<b>2. Site Description .....</b>	<b>5</b>
2.1. Location .....	5
2.2. Access .....	13
2.3. Physiography .....	18
2.3.1. Southern IRNNL .....	20
2.3.2. Northern IRNNL .....	23
<b>3. Characterization of the Primary Natural Feature .....</b>	<b>28</b>
3.1. Overview of Continental Margin Geologic History, South Pacific Border Province	28
3.1.1. Jurassic-early Cretaceous (~206 to ~144 Ma) .....	28
3.1.2. Early to late Cretaceous (~144 to ~99 Ma) .....	31
3.1.3. Late Cretaceous (~99 to ~65 Ma) .....	31
3.1.4. Paleogene (~65 to ~24 Ma) .....	34
3.1.5. Neogene (~24 to ~2 Ma) .....	39
3.1.6. Quaternary (last ~2 million years) .....	43

3.2.	Distribution and Context .....	44
3.3.	Significance .....	49
3.4.	General References (annotated) .....	51
<b>4.</b>	<b>Geology of the Irvine Ranch National Natural Landmark .....</b>	<b>55</b>
4.1.	Introduction .....	55
4.2.	Previous Work .....	59
4.3.	Santa Ana Mountains .....	61
4.4.	Northern Santa Ana Mountains .....	63
4.5.	Loma Ridge Area .....	76
4.6.	San Joaquin Hills (SJH) .....	91
4.7.	Tectonic Geomorphology .....	103
4.7.1.	Southern IRNNL .....	108
4.7.2.	Northern IRNNL .....	111
4.8.	Significance .....	118
<b>5.</b>	<b>Acknowledgements .....</b>	<b>118</b>
<b>6.</b>	<b>References .....</b>	<b>118</b>
<b>7.</b>	<b>Appendices .....</b>	<b>130</b>
App A.	Glossary of Selected Terms and Acronyms .....	130
App B.1.	Geologic Time Scale: Origin of Earth to Present .....	144
App B.2.	Geologic Time Scale: Cretaceous to Present .....	145

**TABLES**

Table 1.	Areas of geographic subareas of the Irvine Ranch National Natural Landmark .....	12
----------	--	----

## ILLUSTRATIONS

Figure 1.	Location of the Irvine Ranch National Natural Landmark in relation to geomorphic provinces of California and the South Pacific Border province .....	2
Figure 2.	Geomorphic provinces, major faults, late Cenozoic basins in onshore and offshore southern California, and location of the northern Santa Ana Mountains and San Joaquin Hills .....	3
Figure 3.	Location of the Irvine Ranch National Natural Landmark within coastal southern California .....	6
Figure 4.	Boundary, Irvine Ranch National Natural Landmark .....	7
Figure 5.	Location of the Irvine Ranch National Natural Landmark in relation to land use throughout Orange County .....	9
Figure 6.	Setting of the Irvine Ranch National Natural Landmark in relation to open-space throughout Orange County and parts of adjacent counties .....	10
Figure 7.	Geographic subareas, Irvine Ranch National Natural Landmark .....	11
Figure 8.	Truck trails and entry points, Irvine Ranch National Natural Landmark .....	14
Figure 9.	Hydrography, Irvine Ranch National Natural Landmark and vicinity .....	19
Figure 10.	Aerial view of marine terrace and coastal area at Pelican Point, Crystal Cove State Park, looking southeast (photo) .....	21
Figure 11.	Aerial view of the eastern San Joaquin Hills from above Laguna Canyon (photo) .....	21
Figure 12.	Aerial view along Bommer Canyon, northwestern San Joaquin Hills (photo) .....	22
Figure 13.	Aerial view looking south to Loma Ridge from above Weir Canyon (photo) .....	24
Figure 14.	Aerial view looking north up Agua Chinon Wash to "The Sinks" area, southeastern Loma Ridge (photo) .....	24
Figure 15.	View of the Eocene Santiago Formation and upper Eocene and Oligocene undifferentiated Sespe-Vaqueros along Santiago Canyon (photo) .....	26
Figure 16.	Bluffs of the Cretaceous Shulz Ranch Sandstone, northern Santa Ana Mountains (photo) .....	26
Figure 17.	Panoramic aerial view to north along Fremont Canyon, northern Santa Ana Mountains (photo) .....	27
Figure 18.	Simplified schematic cross-sections illustrating the kinds of lithospheric plates and plate margins, geologic settings for plate interactions, and principal kinds of sedimentary basins .....	29
Figure 19.	Sketch cross-section of Japanese-type plate margin .....	30

Figure 20. Schematic cross-section of a continental margin subduction system as applied to the Cretaceous of California .....	32
Figure 21. A) Plate configurations and relative plate motions, western North America and eastern Pacific Basin, at approximately 80 Ma; B) Schematic cross-section showing relatively steep subduction angle of Farallon plate, arc magmatism, and back arc (Sevier orogeny) folding and thrusting .....	33
Figure 22. A) Paleogene plate configurations along Cordilleran margin of NAM in cross-section for interval 60-50 Ma; B) Inferred plate configuration and plate motions, western North America and east Pacific Basin, Paleogene, approximately 40 Ma .....	35
Figure 23. Simplified tectonic model of Pacific-North America plate interactions at 24 Ma ..	36
Figure 24. Generalized stratigraphic columns for the Western Transverse Ranges, Los Angeles Basin - Inner Borderland, and Peninsular Ranges .....	38
Figure 25a. Distribution of correlative geologic units in southern California in relation to crustal rotation resulting from the Los Angeles Basin - Inner Borderland rift .....	39
Figure 25b. Distribution of lithostratigraphic packages within the Los Angeles Basin - Inner Borderland rift .....	40
Figure 25c. Schematic cross-sections of late Miocene reconstructions illustrating style of crustal extension within the Los Angeles Basin - Inner Borderland .....	41
Figure 26. Tectonic model of interactions between the Pacific and North American plates, early Miocene to Present .....	42
Figure 27. Plate configurations and tectonic context of Neogene basins, 21 Ma through the Present .....	48
Figure 28. Simplified geologic map of California .....	50
Figure 29a. Simplified geologic map of the Irvine Ranch National Natural Landmark .....	56
Figure 29b. Description of map units .....	57
Figure 29c. Correlation of map units .....	58
Figure 30. Schematic stratigraphic column for geologic map units, northern Santa Ana Mountains .....	62
Figure 31. Schematic block diagram depicting paleoenvironments of the northern Santa Ana Mountains during late Cretaceous .....	64
Figure 32. View of Upper Fremont Canyon showing the Shulz Ranch Sandstone-Holz Shale contact and the relationship of the geomorphology of the upper canyon to underlying rock units (photo) .....	65

Figure 33. Bold outcrops of the Schulz Ranch Member of the Upper Cretaceous Williams Formation, as viewed from east of Fremont Canyon, northern Santa Ana Mountains (photo) .....	66
Figure 34. Schematic paleogeographic reconstruction of southern California during late Cretaceous .....	68
Figure 35. View of the Cretaceous Pleasants Sandstone Member of the Williams Formation and the basal Paleocene Silverado Formation (“K-T boundary”), northern Santa Ana Mountains east of SR-241 (photo) .....	69
Figure 36. A) Pisolitic texture in the Claymont clay bed, Paleocene Silverado Formation; B) Carbonaceous shale and clay-altered siltstone and fine sandstone above the Claymont clay bed (photos) .....	71
Figure 37. A) Contact between Silverado Formation (Paleocene) and overlying Santiago Formation (Eocene), lower Weir Cyn; B) Assortment of Poway-type volcanic clasts showing variation in lithology, phenocryst content and color (photos) .....	73
Figure 38. Generalized cartoon maps illustrating mechanisms of tectonic displacement of Eocene deposits containing Poway and Poway-type rhyolite clasts from their volcanic source terrane .....	74
Figure 39. Contact between the upper Santiago Formation and overlying Sespe Formation exposed along Santiago Creek near Black Star Canyon Road (photo) .....	75
Figure 40. Road cut showing typical characteristics of the upper Sespe Formation exposed along Santiago Canyon Road (photo) .....	77
Figure 41. Generalized schematic cross-section showing intertonguing facies of Vaqueros-type and Sespe-type to produce transitional Vaqueros-Sespe undifferentiated .....	78
Figure 42. A) Cartoon illustrating depositional setting for Poway Fan in San Diego region during Eocene; B) Paleogeographic map showing Sespe delta and Colorado-Gila paleoriver system during Eocene-Oligocene .....	79
Figure 43. A) Sespe-Vaqueros transition as viewed from Haul Road Trail, southwest slope of Loma Ridge ; B) Upper part of Sespe Formation exposed in bluffs at “The Sinks”, southeastern Loma Ridge (photos) .....	81
Figure 44. Depositional environments, paleocurrent directions, and locations of key Sespe-Vaqueros localities across the northern Santa Ana Mountains .....	82
Figure 45. Sketch paleogeographic map of distal Sespe and Vaqueros paleoenvironments .....	83
Figure 46. A) Cliff exposure of Topanga sandstone and underlying gray mudstone and thin interbedded sandstone of Vaqueros Formation, southwestern Loma Ridge; B) Disconformable contact between undifferentiated Sespe-Vaqueros and Topanga Formation, Weir Canyon area (photos) .....	85

Figure 47. View looking southwest from scenic turnout on Santiago Road of the southeastern end of Loma Ridge showing areas underlain by the Santiago Formation, Sespe Formation, Topanga Sandstone, and the La Vida member of the Puente Formation (photo) .....	87
Figure 48. Schematic block diagram of northern part of Los Angeles Basin and eastern Ventura Basin showing the Puente submarine fan in context of subsea fan building around basin margins during the late Miocene. ....	88
Figure 49. Paleogeographic maps showing Miocene and Pliocene-Holocene San Andreas Fault and Colorado River .....	90
Figure 50. Generalized stratigraphic column for the San Joaquin Hills showing formations and members, paleoenvironments, megasequences, and accommodation curve in the context of Los Angeles Basin tectonic evolution phases .....	92
Figure 51. Conglomeratic sandstone package in Sespe Formation, northern San Joaquin Hills, as viewed looking east from the Serrano Trail (photo).....	94
Figure 52. A) Vaqueros Formation with cliffs of Bommer Sandstone in background, Moro Canyon area, southern San Joaquin Hills; B) Molds and casts of bivalve molluscs in lower Vaqueros Formation, Moro Canyon area, southern San Joaquin Hills (photos).....	95
Figure 53. Exposures of ledge-forming Bommer member of the Topanga Formation, in Bommer Canyon, northern San Joaquin Hills (photo) .....	97
Figure 54. Outcrops of weathered San Onofre Breccia along Deer Canyon trail, west Moro Canyon area, coastal San Joaquin Hills (photo) .....	99
Figure 55. Exposures of Monterey Formation (Miocene) in coastal bluffs at Pelican Point, Crystal Cove State Park. A) Thin, disharmonic crinkly bedding and phosphatic concretions; B) Highly deformed ('intestiform') bedding, likely syndepositional in origin (photos).....	101
Figure 56. Schematic block diagram viewed toward the southwest showing deformation of marine terraces on northeast limb of San Joaquin Hills anticline .....	104
Figure 57. Angular unconformity between tilted Miocene Monterey Formation and late Pleistocene marine terrace deposits. View looking east-northeast at Reef Point, Crystal Cove State Park (photo) .....	105
Figure 58. Pleistocene molluscan fauna in fallen slab of basal terrace deposit. Inset shows enlarged view of angular clast of Monterey eroded along bedding planes (upper right of main image) with holes made by rock-boring pholad clams (photo) .....	106
Figure 59. A) Hypothetical cross-section depicting in-life position and paleoecological reconstruction of rock-boring pholad clams on late Pleistocene terrace abrasion platform; B) Schematic cross-section illustrating present-day stratigraphic relationships along cliffs topped by terrace no. 1 of Grant et al. (1999) .....	107

Figure 60. Map of marine terraces in the San Joaquin Hills .....	109
Figure 61. A) Geomorphic surfaces, Santa Ana Mountains; B) Uplift rate plot of geomorphic surfaces, Santa Ana Mountains .....	112
Figure 62. Fluvial fill terraces, Santiago Canyon (photo).....	113
Figure 63. Apparent offsets of Santiago Creek as depicted on an oblique perspective relief surface .....	115
Figure 64. Proposed neotectonic model of the northern Santa Ana Mountains and southern Los Angeles basin .....	116

<b>The Role of the Pomona College Geology Department and U.S. Geological Survey Geologists in Documenting the Geology of the Los Angeles Basin and Orange County</b>	<b>147</b>
--	------------

<b>Roadlog for a Two-Day Geology Fieldtrip in Orange County, California</b>	<b>153</b>
---	------------